## SELF-ADDRESSABLE SELF-ASSEMBLING MICROELECTRONIC SYSTEMS AND DEVICES FOR MOLECULAR BIOLOGICAL ANALYSIS AND DIAGNOSTICS

**Publication number:** WO9512808 **Publication date:** 1995-05-11

Inventor: HELLER MICHAEL J (US); TU EUGENE (US)

Applicant: NANOGEN INC (US)

Classification:

- international: G01N21/64; B01J19/00; B01L3/00; B82B1/00; B82B3/00; C07B61/00; C07H21/00; C07K1/04; C12N15/09; C12Q1/68;

G01N27/447; G01N33/566; G11C13/02; G11C19/00; H01L21/336; H01L21/98; H01L29/78; H01L51/05; H01L51/30; H01L51/40; H05K1/02; C40B40/06; C40B40/10; C40B40/12; C40B60/14; G01N21/64; B01J19/00; B01L3/00; B82B1/00; B82B3/00; C07B61/00; C07H21/00; C07K1/00; C12N15/09; C12Q1/68; G01N27/447; G01N33/566; G11C13/02;

G11C19/00; H01L21/02; H01L21/70; H01L29/66; H01L51/05; H05K1/02; C40B40/04; C40B60/14; (IPC1-7): G01N21/00;

C07H21/00; C12Q1/68; G01N30/00; G01N33/53

- **European:** H01L21/98; B01J19/00C; B01J19/00R; B01L3/00C2D; B01L3/00C6M; C07B61/00L; C07H21/00C4; C07H21/00F; C07K1/04F; C07K1/04B; C07K1/04B; C12Q1/68B2; C12Q1/68B2; C12Q1/68B2H; C12Q1/68B10A; G11C13/02; G11C19/00; Y01N2/00;

01N4/00

**Application number:** WO1994US12270 19941026 **Priority number(s):** US19930146504 19931101

Also published as:

EP0727045 (A1)
US6017696 (A1)
US5929208 (A1)
US5605662 (A1)
JP2007057540 (A)

more >>

## Cited documents:

US5227265 US3950738 US4816418 US5075077 US4580895 more >>

Report a data error here

## Abstract of WO9512808

A self-addressable, self-assembling microelectronic device is designed and fabricated to actively carry out and control multi-step and multiplex molecular biological reactions in microscopic formats. These reactions include nucleic acid hybridization, antibody/antigen reaction, diagnostics, and biopolymer synthesis. The device can be fabricated using both microlithographic and micro-machining techniques. The device can electronically control the transport and attachment of specific binding entities to specific micro-locations. The specific binding entities include molecular biological molecules such as nucleic acids and polypeptides. The device can subsequently control the transport and reaction of analytes or reactants at the addressed specific micro-locations. The device is able to concentrate analytes and reactants, remove non-specifically bound molecules, provide stringency control for DNA hybridization reactions, and improve the detection of analytes. The device can be electronically replicated.

Data supplied from the esp@cenet database - Worldwide

1 of 1 2/8/2008 6:00 PM